

1 **EXAMPLE POST LAYOUT**
PLAN VIEW

AGS Stainless Clearview® Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.

NOTES:

1. TOP RAIL NOT SHOWN FOR CLARITY.
2. ALL PARTS AND COMPONENTS MADE WITH 316 STAINLESS STEEL UNLESS NOTED OTHERWISE.

LEGEND

- DETAIL ID
- SHEET ID
- ELEVATION ID
- TOP MOUNT POST
- TOP MOUNT DOUBLE POST
- CENTERLINE
- FINISHED FLOOR
- TYP TYPICAL CONDITION APPLIES ELSEWHERE AT SIMILAR CONDITIONS

7873 NEDAY ROAD
BAINBRIDGE ISLAND, WA 98110
PHONE - (888) 842-9492
WWW.AGSSTAINLESS.COM

AGS stainless
CLEARVIEW® Railing Systems


GLACIER SPECIFICATION DRAWING
** RESIDENTIAL **

42" TOP MOUNT - FLAT TOP


DWG #	TM42F
SCALE	NONE
DATE	2026
SHEET	1 OF 5

NOTES:

1. DECK STRUCTURE CAN VARY GREATLY. IT IS THE RESPONSIBILITY OF THE CUSTOMER TO VERIFY THAT THE SUPPORTING STRUCTURE IS ADEQUATE TO MEET THE LOAD REQUIREMENTS OF THE GOVERNING BUILDING CODE(S). *AGS Stainless Inc.* RECOMMENDS CONSULTING A DESIGN OR CONSTRUCTION PROFESSIONAL TO ADDRESS THESE ISSUES.



A TYPICAL RAILING CONDITION
ELEVATION



A STAIR
ELEVATION

AGS Stainless Clearview® Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.

NOTES:

1. STAIR CONSTRUCTION VARIES GREATLY. AS-BUILT CONDITIONS MAY ALTER RAILING DESIGN, INCLUDING POST LOCATION & MOUNTING, INFILL SPACING, AND TOP RAIL LAYOUT.

7873 NEDAY ROAD
BAINBRIDGE ISLAND, WA 98110
PHONE - (888) 842-9492
WWW.AGSSTAINLESS.COM



GLACIER SPECIFICATION DRAWING
** RESIDENTIAL **

42" TOP MOUNT - FLAT TOP


DWG #
TM42F

SCALE
NONE

DATE
2026


SHEET

3 OF **5**




NOTE: 90° SHOWN, OTHER ANGLES SIMILAR

A TYPICAL 90° TOP MOUNT OUTSIDE CORNER
DETAIL



NOTE: 90° SHOWN, OTHER ANGLES SIMILAR


B TYPICAL 90° TOP MOUNT INSIDE CORNER
DETAIL




C TYPICAL POST MOUNTING - TOP MOUNT
DETAIL




D TYPICAL BASE PLATE
DETAIL




E TYPICAL DOUBLE BASE PLATE
DETAIL



F TOP RAIL INSTALLATION - FLAT
DETAIL




A SPLICE BLOCK ASSEMBLY - FLAT
DETAIL



NOTE: GLASS CLAMPS
ACCOMMODATE PANEL
THICKNESS OF 1/4" - 3/8"

B END POST GLASS CLAMP INSTALLATION
DETAIL



NOTE: GLASS CLAMPS
ACCOMMODATE PANEL
THICKNESS OF 1/4" - 3/8"

C INTERMEDIATE POST GLASS CLAMP INSTALLATION
DETAIL

GLACIER SPECIFICATION DRAWING
** RESIDENTIAL **

42" TOP MOUNT - FLAT TOP

DWG #
TM42F
SCALE
NONE
DATE
2026
SHEET

5
OF 5

AGS stainless
CLEARVIEW® Railing Systems

7873 NEDAY ROAD
BAINBRIDGE ISLAND, WA 98110
PHONE - (888) 842-9492
WWW.AGSTAINLESS.COM