


**1** EXAMPLE POST LAYOUT  
PLAN VIEW

AGS Stainless Clearview® Railing Systems are designed to meet the requirements of the latest edition of the IRC/IBC.

**NOTES:**


1. TOP RAIL NOT SHOWN FOR CLARITY.
2. ALL PARTS AND COMPONENTS MADE WITH 316 STAINLESS STEEL UNLESS NOTED OTHERWISE.

**LEGEND**



**NOTES:**

1. DECK STRUCTURE CAN VARY GREATLY. IT IS THE RESPONSIBILITY OF THE CUSTOMER TO VERIFY THAT THE SUPPORTING STRUCTURE IS ADEQUATE TO MEET THE LOAD REQUIREMENTS OF THE GOVERNING BUILDING CODE(S). *AGS Stainless Inc.* RECOMMENDS CONSULTING A DESIGN OR CONSTRUCTION PROFESSIONAL TO ADDRESS THESE ISSUES.




**END POST - WALL CONDITION**

**INTERMEDIATE POST CONDITION**

**CORNER POST CONDITION**

**A TYPICAL RAILING CONDITION ELEVATION**



**A** STAIR  
ELEVATION

**NOTES:**

1. STAIR CONSTRUCTION VARIES GREATLY. AS-BUILT CONDITIONS MAY ALTER RAILING DESIGN, INCLUDING POST LOCATION & MOUNTING, INFILL SPACING, AND TOP RAIL LAYOUT.

7873 NEDAY ROAD  
BAINBRIDGE ISLAND, WA 98110  
PHONE - (888) 842-9492  
WWW.AGSSTAINLESS.COM



OLYMPUS SPECIFICATION DRAWING  
\*\* RESIDENTIAL \*\*

42" SIDE MOUNT - FLAT TOP


DWG # SM42F

SCALE NONE


DATE 2026

SHEET


**3** OF **5**




**A** TYPICAL 90° SIDE MOUNT OUTSIDE CORNER  
DETAIL




**B** TYPICAL 90° SIDE MOUNT INSIDE CORNER  
DETAIL




**C** TYPICAL POST MOUNTING - SIDE MOUNT  
DETAIL




**D** TYPICAL POST MOUNTING - SIDE MOUNT  
DETAIL




**E** FITTING INSTALLATION - OLYMPUS SPLICE  
DETAIL



**F** FITTING INSTALLATION - OLYMPUS SPLICE  
DETAIL



**A** TOP RAIL INSTALLATION - FLAT  
DETAIL



**B** SPLICE BLOCK ASSEMBLY - FLAT  
DETAIL